

## SERIES 300 GLAMYS 320



HOMOLOGATED SEATS	6
BERTHS	8
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	CITROËN/PEUGEOT
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2919	2919
Pay Load (kg)	581	581
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Dimensions and places		
External length (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	320 / 208	
Auxiliary bed in dinette	S	
Rear Bed (cm)	200x127(110) - 208x128(110)	
Electric rear bed height adjustment	S	
Dimensions Auxiliary bed in Dinette (cm)	180x121	
Overcab bed (cm)	209x160	
Locker (useful opening, cm)	115x95	
Max. internal garage height (cm)	137	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge (220V, 12V, gas) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Shower tray with double drain	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Dinette skylight (mm)	S (400x400) / O (700x500)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fiberglass MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



## SERIES 300 GLAMYS 322



HOMOLOGATED SEATS	7
BERTHS	7
SEATS AT THE TABLE	6



### PACK

#### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

#### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

#### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

#### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

#### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

#### MATIC PACK - TRAVEL PACK required

- Automatic transmission

#### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers

#### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

#### EXTRA WARM PACK



- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

#### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


#### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	 
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2889	2889
Pay Load (kg)	611	611
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Bluetooth radio / Steering wheel radio controls	O	O
<b>Dimensions and places</b>		
External lenght (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	320 / 208	
Auxiliary bed in dinette	S	
Rear Bed (cm)	212x87(74) - 212x83(70)	
Dimensions Auxiliary bed in Dinette (cm)	180x121 - 140x64	
Overcab bed (cm)	209x160	
Locker (useful opening, cm)	125x70 - 125x60	
Max. internal garage height (cm)	138	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
<b>Installations</b>		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
<b>Skylight</b>		
Rear skylight (mm)	S (400x400)	
Dinette skylight (mm)	S (400X400) / O (700X500)	
Toilette skylight (mm)	S (280X280)	
Double-glazed windows with blind / mosquito net	S	
<b>Equipments</b>		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
<b>Exteriors</b>		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

\* Window in the bathroom without blind and mosquito net

S= standard O=optional VTR= Fiberglass MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



## SERIES 300 GLAMYS 365



HOMOLOGATED SEATS	5
BERTHS	5
SEATS AT THE TABLE	5



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK



- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	 
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2939	2939
Pay Load (kg)	561	561
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O	O
Dimensions and places		
External lenght (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	320 / 208	
Auxiliary bed in dinette	S	
Rear Bed (cm)	191x80 - 204x80 - 178x212	
Dimensions Auxiliary bed in Dinette (cm)	216x120(43)	
Overcab bed (cm)	209x160	
Additional seat rear bed	S	
Locker (useful opening, cm)	115x80	
Max. internal garage height (cm)	121	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Dinette skylight (mm)	S (400x400) / O (700x500)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

\* Window in the bathroom without blind and mosquito net


S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



SERIES 300  
**MC4 321**



HOMOLOGATED SEATS	4 (+1 OPT)
BERTHS	2 (+2 OPT)
SEATS AT THE TABLE	6



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK



- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna

### SERIES 300 SATELLITE TV PACK


- 24" Smart TV; satellite antenna

Chassis	FIAT	 
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2909	2909
Pay Load (kg)	591	591
Wheelbase (mm)	4035	4035
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
Dimensions and places		
External lenght (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Dimensions Auxiliary bed in Dinette (cm)	216x126 (O)	
Elevating Bed (cm)	190x160	
Locker (useful opening, cm)	145x70 (54) / 130x34	
Max. internal garage height (cm)	104 (227)	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(120) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	135	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Shower tray with double drain	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400)	
Central skylight (mm)	S (400x400)	
Shower skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.





**SERIES 300  
MC4 331**



HOMOLOGATED SEATS	4
BERTHS	3 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK


- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2769	2769
Pay Load (kg)	731	731
Wheelbase (mm)	3450	3450
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
<b>Dimensions and places</b>		
External lenght (mm) / External width (mm)	5990 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear Bed (cm)	216x130 (125)	
Dimensions Auxiliary bed in Dinette (cm)	208x110(78) (O)	
Elevating Bed (cm)	190x81	
Locker (useful opening, cm)	115x80 - 90x45	
Max. internal garage height (cm)	121	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
<b>Installations</b>		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Bathroom window (double opaque glass)	S	
Integrated entry step	S	
Heated garage locker	S	
<b>Skylight</b>		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
<b>Equipments</b>		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
<b>Exteriors</b>		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 300**  
**MC4 339**



HOMOLOGATED SEATS	4
BERTHS	3 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	CITROËN/PEUGEOT
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2809	2809
Pay Load (kg)	691	691
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Dimensions and places		
External length (mm) / External width (mm)	6690 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	S	
Rear Bed (cm)	197x80 + 202x80 - 179x212	
Dimensions Auxiliary bed in Dinette (cm)	208x90(80) (O)	
Elevating Bed (cm)	190x81	
Additional seat rear bed	S	
Locker (useful opening, cm)	115x80(66)	
Max. internal garage height (cm)	121	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Shower tray with double drain	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 300**  
**MC4 360**



HOMOLOGATED SEATS	4 (+1 OPT)
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK


- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2899	2899
Pay Load (kg)	601	601
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS/ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
Dimensions and places		
External lenght (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear bed (cm)	210x130	
Manual rear bed height adjustment	S	
Dimensions Auxiliary bed in Dinette (cm)	216x97(89) (O)	
Elevating Bed (cm)	190x123(103) (O)	
Locker (useful opening, cm)	115x95	
Max. internal garage height (cm)	122	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 Kg)	S	
Shower tray with double drain	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 300**  
**MC4 365**



HOMOLOGATED SEATS	4 (+1 OPT)
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	5



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna

### SERIES 300 SATELLITE TV PACK


- 24" Smart TV; satellite antenna


Chassis	FIAT	CITROËN/PEUGEOT
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2909	2909
Pay Load (kg)	591	591
Wheelbase (mm)	3800	3800
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Dimensions and places		
External length (mm) / External width (mm)	6990 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear Bed (cm)	191x80 + 204x80 - 178x212	
Dimensions Auxiliary bed in Dinette (cm)	216x120(43) (O)	
Elevating Bed (cm)	190x113(93)	
Additional seat rear bed	S	
Locker (useful opening, cm)	115x80	
Max. internal garage height (cm)	121	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood


The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.





**SERIES 300**  
**MC4 373** 

HOMOLOGATED SEATS	4 (+1 OPT)
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	5



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK


- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2989	2989
Pay Load (kg)	511	511
Wheelbase (mm)	4035	4035
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
<b>Dimensions and places</b>		
External lenght (mm) / External width (mm)	7450 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear Bed (cm)	200x80 + 200x80-200x212	
Dimensions Auxiliary bed in Dinette (cm)	216x107(58) (O)	
Elevating Bed (cm)	190x123(103) (O)	
Additional seat rear bed	S	
Locker (useful opening, cm)	115x95	
Max. internal garage height (cm)	121	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
<b>Installations</b>		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
<b>Skylight</b>		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
<b>Equipments</b>		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
<b>Exteriors</b>		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 300  
MC4 379**



<b>HOMOLOGATED SEATS</b>	<b>4 (+1 OPT)</b>
<b>BERTHS</b>	<b>4 (+1 OPT)</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK



- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna


### SERIES 300 SATELLITE TV PACK

- 24" Smart TV; satellite antenna

Chassis	FIAT	 
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2989	2989
Pay Load (kg)	511	511
Wheelbase (mm)	4035	4035
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
Dimensions and places		
External length (mm) / External width (mm)	7450 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear Bed (cm)	190x150	
Electric rear bed height adjustment	S	
Dimensions Auxiliary bed in Dinette (cm)	216x107(58)	
Elevating Bed (cm)	190x123(103) (O)	
Locker (useful opening, cm)	115x95	
Max. internal garage height (cm)	125	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(100) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood


The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 300**  
**MC4 381**



HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK- Required on HEAVY chassis

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### CITROËN/PEUGEOT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK or CITROËN/PEUGEOT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED; leather steering wheel and gearbox

### FIAT ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS required

- Full digital cluster; automatic climate control system; electric handbrake

### MATIC PACK - TRAVEL PACK required

- Automatic transmission

### START PACK

- Two-part locking door with window and central locking; solar panel; rear-view camera; pleated blind; TV holder; seat covers; panoramic roof.

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 300 DIGITAL TV PACK

- 24" Smart TV; digital antenna

### SERIES 300 SATELLITE TV PACK


- 24" Smart TV; satellite antenna

Chassis	FIAT	CITROËN/PEUGEOT
Engine, Power	2,2 MJ 140 HP	2,2 140 HP
Maximum technically permissible weight (kg)	3500	3500
Weight unladen in running conditions (kg)	2999	2999
Pay Load (kg)	501	501
Wheelbase (mm)	4035	4035
Maximum towable weight (kg)	2000	2000
Wheels dimensions	15"	15"
Manual air conditioning	S	S
Driver and Passenger airbag	S	S
Cruise Control with speed limiter	S	S
ABS / ESC	S/S	S/S
Driver and passenger swivelling seats	S	S
Bluetooth radio / Steering wheel radio controls	O/O	O/O
Dimensions and places		
External length (mm) / External width (mm)	7450 / 2350	
External height(cm) / Internal height (cm)	295 / 208	
Auxiliary bed in dinette	O	
Rear Bed (cm)	190x150	
Electric rear bed height adjustment	S	
Dimensions Auxiliary bed in Dinette (cm)	216x104(87) (O)	
Elevating Bed (cm)	190x123(103)	
Locker (useful opening, cm)	115x95	
Max. internal garage height (cm)	125	
Floor / walls / roof thickness (cm)	5,4 / 3 / 3	
Floor / walls / roof material	MTS / VTR / VTR	
Fiberglass roof, hail-proof	S	
Installations		
Burners	2	
Tank capacity : clear water / wastewater (l)	20(120) / 100	
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	137	
Standard heating system	Combi Gas 4 kW	
Space for 2 gas bottles (tot. Max 15 kg)	S	
Integrated entry step	S	
Heated garage locker	S	
Skylight		
Rear skylight (mm)	S (400x400) / O (700x500)	
Central skylight (mm)	S (400x400)	
Toilette skylight (mm)	S (280x280)	
Double-glazed windows with blind / mosquito net	S	
Equipments		
Thermal blind	S	
Beds with staves	S	
CP Plus control panel	S	
Internal LED lightening	S	
Exteriors		
Flyscreen for entrance door	S	
XL Entrance door	S	
External LED light	S	

By choosing the elevating bed option, the dinette skylight 700x500 mm (Midi Heki) will not be available  
Window in the bathroom without blind and mosquito net

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 800**  
**MC4 860**



<b>HOMOLOGATED SEATS</b>	<b>5</b>
<b>BERTHS</b>	<b>3</b>
<b>NUMBER OF BERTHS WITH ELEVATING BED (OPT)</b>	<b>5</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna


### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2899
Pay Load (kg)	601
Wheelbase (mm)	3800
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	6990 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	210x130
Manual rear bed height adjustment	S
Dimensions Auxiliary bed in Dinette (cm)	216x97(89)
Elevating Bed (cm)	190x123(103)
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	125
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	135
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Shower tray with double drain	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.





**SERIES 800**  
**MC4 865**



<b>HOMOLOGATED SEATS</b>	<b>5</b>
<b>BERTHS</b>	<b>5</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK


- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2909
Pay Load (kg)	572 / 427
Wheelbase (mm)	3800
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	6990 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	193x80 + 200x80-199x212
Dimensions Auxiliary bed in Dinette (cm)	216x107(58)
Elevating Bed (cm)	190x123(103)
Additional seat rear bed	S
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	120
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	135
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



SERIES 800  
MC4 870



HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK


- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2999
Pay Load (kg)	501
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	O
Rear Bed (cm)	200x80 + 200x80-200x212
Dimensions Auxiliary bed in Dinette (cm)	216x103(75) (O)
Elevating Bed (cm)	190X123(103)
Additional seat rear bed	S
Locker (useful opening, cm)	115X95
Max. internal garage height (cm)	121
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(120) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 800  
MC4 873**



<b>HOMOLOGATED SEATS</b>	<b>5</b>
<b>BERTHS</b>	<b>5</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK


- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2999
Pay Load (kg)	501
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	200x80 + 200x80-200x212
Dimensions Auxiliary bed in Dinette (cm)	216x107(48)
Elevating Bed (cm)	190X123(103)
Additional seat rear bed	S
Locker (useful opening, cm)	115X95
Max. internal garage height (cm)	121
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S


S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 800  
MC4 875**



<b>HOMOLOGATED SEATS</b>	<b>5</b>
<b>BERTHS</b>	<b>5</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna


### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2999
Pay Load (kg)	501
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External lenght (mm) / External width (mm)	7430 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	205x75 + 189x75 - 212x110
Dimensions Auxiliary bed in Dinette (cm)	216x103(75)
Elevating Bed (cm)	190x123(103)
Additional seat rear bed	S
Locker (useful opening, cm)	95x75 - 85x45
Max. internal garage height (cm)	85
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Shower tray with double drain	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fiberglass MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.






**SERIES 800  
MC4 879**



<b>HOMOLOGATED SEATS</b>	<b>5</b>
<b>BERTHS</b>	<b>5</b>
<b>SEATS AT THE TABLE</b>	<b>5</b>



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK


- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2989
Pay Load (kg)	511
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	190x150
Electric rear bed height adjustment	S
Dimensions Auxiliary bed in Dinette (cm)	216x107(48)
Elevating Bed (cm)	190x123(103)
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	125
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



**SERIES 800**  
**MC4 881**



HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### FIAT TRAVEL PACK

- Fog lights; Traction+; 16" alloy wheels with composite suspension; black skid plate, grille, headlamp surround; steering wheel controls

### ELEGANCE PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; DRL LED on Mc4\*; leather steering wheel and gearbox

### ELEGANCE PLUS PACK - FIAT TRAVEL PACK required

- Techno dashboard; TPMS; Full LED headlights; leather steering wheel and gearbox

### EXTRA TECH PACK - FIAT TRAVEL PACK and one of the two ELEGANCE PACKS are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - FIAT TRAVEL PACK

- Automatic transmission

### EXPO PACK

- Solar panel; rear-view camera; pleated blind

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK


- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (kg)	3500
Weight unladen in running conditions (kg)	2999
Pay Load (kg)	501
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
Cab seat covers	S
Painted front bumper	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	O
Rear Bed (cm)	190x150
Electric rear bed height adjustment	S
Dimensions Auxiliary bed in Dinette (cm)	216x103(75) (O)
Elevating Bed (cm)	190x123(103)
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	125
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(120) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 Kg)	S
Bathroom window (double opaque glass)	S
Integrated and isolated entry step	S
Heated garage locker	S
Skylight	
Panoramic roof (mm)	S (1000x800)
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Double-glazed windows with blind / mosquito net	S
Equipments	
Thermal blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood  
The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.15 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



## SERIES 800 NEVIS 870



HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### EXPO NEVIS PACK

- Traction +; 16" alloy wheels with composite suspension; steering wheel controls; solar panel; rear-view Camera

### ELEGANCE PACK - EXPO NEVIS PACK required

- Techno dashboard; leather steering wheel and gearbox

### EXTRA TECH PACK - EXPO NEVIS PACK and ELEGANCE PACK are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - EXPO NEVIS PACK required

- Automatic transmission

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna


### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (Kg)	3500
Weight unladen in running conditions (Kg)	2989
Pay Load (Kg)	511
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
DRL LED (Day running light)	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	O
Rear Bed (cm)	200x80 + 200x80-200x212
Dimensions Auxiliary bed in Dinette (cm)	216x103(75) (O)
Elevating Bed (cm)	185x134
Additional seat rear bed	S
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	121
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(120) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Dinette skylight (mm)	S (700x500) / O (960x655)
Double-glazed windows with blind / mosquito net	S
Equipments	
Pleated cab blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood


The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



## SERIES 800 NEVIS 873



HOMOLOGATED SEATS	5
BERTHS	5
SEATS AT THE TABLE	5



## PACK

### EXPO NEVIS PACK

- Traction +; 16" alloy wheels with composite suspension; steering wheel controls; solar panel; rear-view Camera

### ELEGANCE PACK - EXPO NEVIS PACK required

- Techno dashboard; leather steering wheel and gearbox

### EXTRA TECH PACK - EXPO NEVIS PACK and ELEGANCE PACK are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - EXPO NEVIS PACK required

- Automatic transmission

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK


- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (Kg)	3500
Weight unladen in running conditions (Kg)	2979
Pay Load (Kg)	521
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
DRL LED (Day running light)	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	200x80 + 200x80-200x212
Dimensions Auxiliary bed in Dinette (cm)	216x107(48)
Elevating Bed (cm)	185x134
Additional seat rear bed	S
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	121
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(120) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Dinette skylight (mm)	S (700x500) / O (960x655)
Double-glazed windows with blind / mosquito net	S
Equipments	
Pleated cab blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.





## SERIES 800 NEVIS 879



HOMOLOGATED SEATS	5
BERTHS	5
SEATS AT THE TABLE	5



## PACK

### EXPO NEVIS PACK

- Traction +; 16" alloy wheels with composite suspension; steering wheel controls; solar panel; rear-view Camera

### ELEGANCE PACK - EXPO NEVIS PACK required

- Techno dashboard; leather steering wheel and gearbox

### EXTRA TECH PACK - EXPO NEVIS PACK and ELEGANCE PACK are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - EXPO NEVIS PACK required

- Automatic transmission

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna


### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (Kg)	3500
Weight unladen in running conditions (Kg)	2979
Pay Load (Kg)	521
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
DRL LED (Day running light)	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	S
Rear Bed (cm)	190x150
Rear bed height adjustment	S
Dimensions Auxiliary bed in Dinette (cm)	216x107(48)
Elevating Bed (cm)	185x134
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	125
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(100) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Dinette skylight (mm)	S (700x500) / O (960x655)
Double-glazed windows with blind / mosquito net	S
Equipments	
Pleated cab blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood


The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



## SERIES 800 NEVIS 881



HOMOLOGATED SEATS	4
BERTHS	4 (+1 OPT)
SEATS AT THE TABLE	4



## PACK

### EXPO NEVIS PACK

- Traction +; 16" alloy wheels with composite suspension; steering wheel controls; solar panel; rear-view Camera

### ELEGANCE PACK - EXPO NEVIS PACK required

- Techno dashboard; leather steering wheel and gearbox

### EXTRA TECH PACK - EXPO NEVIS PACK and ELEGANCE PACK are required

- Full digital cluster; automatic climate control system; electric handbrake

### PACK MATIC - EXPO NEVIS PACK required

- Automatic transmission

### ENJOY OUTDOOR PACK

- External gas socket; hand shower in garage; external media socket (12 V / 220 V / TV), equipped Garage wall; awning

### EXTRA WARM PACK

- Truma Combi 6 E; winter pack; step insulation; electrically heated floor

### SERIES 800 DIGITAL/SATELLITE TV PACK

- 32" Smart TV; Digital/Satellite antenna

### TV WI-FI PACK

- 32" Smart TV; Wi-Fi router

Chassis	FIAT
Engine, Power	2,2 MJ 140 HP
Maximum technically permissible weight (Kg)	3500
Weight unladen in running conditions (Kg)	2989
Pay Load (Kg)	511
Wheelbase (mm)	4035
Maximum towable weight (kg)	2000
Wheels dimensions	15"
Manual air conditioning	S
Driver and Passenger airbag	S
Cruise Control with speed limiter	S
ABS / ESC	S/S
Driver and passenger swivelling seats	S
DRL LED (Day running light)	S
Dimensions and places	
External length (mm) / External width (mm)	7450 / 2350
External height(cm) / Internal height (cm)	295 / 208
Auxiliary bed in dinette	O
Rear Bed (cm)	190x150
Rear bed height adjustment	S
Dimensions Auxiliary bed in Dinette (cm)	216x103(75) (O)
Elevating Bed (cm)	185x134
Locker (useful opening, cm)	115x95
Max. internal garage height (cm)	125
Floor / walls / roof thickness (cm)	5,4 / 3 / 3
Floor / walls / roof material	MTS / VTR / VTR
Fiberglass roof, hail-proof	S
Installations	
Burners	3
Tank capacity : clear water / wastewater (l)	20(120) / 100
Automatic trivalent fridge ( 220V, 12V, gas ) (l)	145
Standard heating system	Combi Gas 4 kW
Space for 2 gas bottles (tot. Max 15 kg)	S
Bathroom window (double opaque glass)	S
Integrated entry step	S
Heated garage locker	S
Skylight	
Rear skylight (mm)	S (400x400) / O (960x655)
Central skylight (mm)	S (400x400)
Dinette skylight (mm)	S (700x500) / O (960x655)
Double-glazed windows with blind / mosquito net	S
Equipments	
Pleated cab blind	S
Beds with staves	S
CP Plus control panel	S
32" TV holder	S
Internal LED lightening	S
Exteriors	
Entrance door with fixed window	S
Flyscreen for entrance door	S
Entrance door with two central locking points	S
XL Entrance door	S
External LED light	S

S= standard O=optional VTR= Fibreglas MTS= multi-layered plywood

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.



The masses indicated in the technical data sheets refer to the provisions of European Directive 2007/46/EC.

## **MASS IN RUNNING ORDER**

It includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

## **PAYLOAD**

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects.

The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage.

All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC.

Any optional equipment increases the mass in running order and decreases the payload.

The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue. Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers. In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please note that the law does not allow the maximum permissible mass to be exceeded, which can be consulted under the specific heading of the data sheets. Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country. When driving, the fresh water tank must be filled to a maximum of 20 litres.