

PRELIMINARY TECHNICAL SPECIFICATIONS AND FEATURES CAMPERVANS

2026/ 2027 JUNE 2026

www.karmann-mobil.de

KARMANN Mobil



NEW

DAVIS TRENDSTYLE FROM SPORTY TO COMFORTABLE



540 TS



590 TS



591 TS



620 TS

NEW

DAVIS LIFESTYLE FROM ELEGANT TO LUXURIOUS



590 LS



620 LS



630 LS

DAVIS LIFESTYLE also available with optional adjustable roof

DEXTER FIAT THE ONE WITH CHARACTER



580



625



635

DEXTER FIAT WITH A LIFT-UP BED IN THE UPPER ROOF THE INDIVIDUALIST

Dexter 550, 555 and 595 with a lift-up bed in the upper roof



550

NEW



555



595

DEXTER FORD THE STURDY ONE



560 4x2



570 4x2



560 4x4



570 4x4



FEATURES
DAVIS TRENDSTYLE

» 140 HP engine
» 35L chassis
» Isofix (excluding 540)
» 4 kW diesel heating
» Elegant, bright interior features
» Protective covers for upholstery fabric for driver and passenger seat
» Slatted frame for fixed beds
» Midi-Heki skylight roof window
» Roof hood (excluding Davis 540 Trendstyle)
» Refrigerator 70 to 84 litres (depending on floor plan)
» Washroom window (excluding Davis 540 Trendstyle)
» Table with table extension
» Heated and insulated waste water tank
» Series upholstery "Laguna"
» Wall units with mint-green appliqués

NEW
PRODUCT ADDED VALUE

» Wall units throughout (from the kitchen to the rear)
» Vario bath (not for Davis 540 Trendstyle)
» Ambient lighting
» Open storage area above the driver's cab
» Transverse storage area in the rear
» Pull-out kitchen worktop extension
» Multifunctional wall in the kitchen
» Headboard organiser in the sleeping area
» TRUMA heating as standard
» Seitz windows flush with the frame (S7)
» 1 Isofix dinette (corridor) for all floor plans



FEATURES
DAVIS LIFESTYLE

» 140 HP engine
» 35L chassis
» Isofix (excluding DAVIS 540, 600, 610 Lifestyle)
» 4 kW diesel heating
» Elegant, bright interior features
» LED ambient lighting
» Metallic look logo trim in the kitchen unit
» Folding table top
» body-flush frame windows
» Side storage compartment in the kitchen unit
» Window on the left in the rear

NEW
PRODUCT ADDED VALUE

» Kitchen unit made of Corian® solid surface material
» Improved storage area
» Transverse cabinet in the rear
» Soft-touch ceiling
» iNet X connectivity
» Memory foam mattress
» DA590LS with lift-up bed
» Dinette with side-mounted table (without table leg, removable)
» New washroom design
» 220 V socket in the garage
» External water tap in the rear

DAVIS TRENDSTYLE CAMPERVANS

NEW

	DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE
				
➲ BASIC VEHICLE	Citroen Jumper 35 L 89 kW (120 HP)	Citroen Jumper 35 L 89 kW (120 HP)	Citroen Jumper 35 L 89 kW (120 HP)	Citroen Jumper 35 L 103 kW (140 HP)
Fuel tank	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue
Technically permissible overall weight [1)]	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 180 HP for Fiat/Citroen	5,500 / 5,800 kg	6,000 // 6,500 kg**	6,000 // 6,500 kg**	6,000 // 6,500 kg**
Permissible trailer load (braked) with 120 HP / 140, 180 HP* for Fiat/Citroen	2,500 kg	2,500 kg	2,500 kg	2,500 kg
➲ DIMENSIONS				
Total length	5,410 mm	5,990 mm	5,990 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm	2,650 mm
Interior width	1,860 mm	1,860 mm	1,860 mm	1,860 mm
Standing height	1,890 mm	1,890 mm	1,890 mm	1,890 mm
Wheelbase	3,450 mm	4,035 mm	4,035 mm	4,035 mm
Standard tyres	225/75 R16 C	225/75 R16 C	225/75 R16 C	225/75 R16 C
Bed conversion of the seating group	1,360 x 860 mm / 500 mm	1,560 x 860/ 500 mm	1,560 x 860/ 500 mm	1,560 x 860/ 500 mm
Bed in adjustable roof	–	–	–	–
Bunk bed	–	–	1,840 x 1,330 mm	–
Rear bed	1,940 x 1,360/ 1,250 mm	1,940 x 1,480 mm	1,860 x 1,450 mm	1,900 x 800 mm / 1,850 x 820 mm
Permitted number of people with 3-point belt [3)]	4	4	4	4
Number of sleeping areas	2 (3) optional	2 (3) optional	4 (5) optional	2 (3) optional
➲ INSTALLATION				
Fresh water capacity complete [5)]	90 l	85 l	90 l	85 l
Fresh water tank in the drive position [5)]	20 l	20 l	20 l	20 l
Waste water capacity	60 l	75 l	75 l	75 l
Gas box / cartridge	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah
Refrigerator	70 L	84 L	84 L	84 L





* The permissible gross train weight must be complied with | ** With 35H chassis | *** In the lower position, the reclining area can be extended to 1850/1750 x 1900 mm

DAVIS LIFESTYLE CAMPERVANS
WITH OPTIONAL ADJUSTABLE ROOF

NEW

	DAVIS 590 LIFESTYLE	DAVIS 620 LIFESTYLE	DAVIS 630 LIFESTYLE
			
➲ BASIC VEHICLE	35L // 35H Fiat Ducato, 103 kW (140 HP)	35L // 35H Fiat Ducato, 103 kW (140 HP)	35L // 35H Fiat Ducato, 103 kW (140 HP)
Fuel tank	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue
Technically permissible overall weight [1)]	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP for Fiat	5,500 / 5,800 kg	6,000 // 6,500 kg**	6,000 // 6,500 kg**
Permissible trailer load (braked) with 120 HP / 140, 180 HP* for Fiat	2,500 kg	2,500 kg**	2,500 kg**
➲ DIMENSIONS			
Total length	5,990 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm
Interior width	1,860 mm	1,860 mm	1,860 mm
Standing height	1,890 mm	1,890 mm	1,890 mm
Wheelbase	4,035 mm	4,035 mm	4,035 mm
Standard tyres	215/70 R15C	215/70 R15C	215/70 R15C
Bed conversion of the seating group	1,560 x 860/ 500 mm	1,560 x 950/ 500 mm	1,560 x 950/ 500 mm
Bed in adjustable roof	1,300 x 2,000 mm (option)	1,300 x 2,000 mm (option)	1,300 x 2,000 mm (option)
Bunk bed	–	–	–
Rear bed	1,850 x 1,500 / 1,400 mm	1,900 x 800 mm / 1,850 x 800 mm	1,880/1,780 x 1,650 mm*** (height-adjustable)
Permitted number of people with 3-point belt [3)]	4	4	4
Number of sleeping areas	2 (3) optional	2 (3) optional	2 (3) optional
➲ INSTALLATION			
Fresh water capacity complete [5)]	85 l	85 l	85 l
Fresh water tank in the drive position [5)]	20 l	20 l	20 l
Waste water capacity	75 l	75 l	75 l
Gas box / cartridge	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah
Refrigerator	84 L	84 L	84 L



FOOTNOTES FOR TECHNICAL SPECIFICATIONS

1. **Technically permissible overall weight (kg)**
The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

2. **The weight in the ready-to-drive state (series) (kg)**
The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

3. **Permitted number of people with 3-point belts**
The weight of the passengers is calculated at a nominal 75 kg per seat, whereby the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

4. **Maximum weights for packages and special equipment**
The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

5. **Fresh water tank size (l)**
Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

* The permissible gross train weight must be complied with | ** With 35H chassis | *** In the lower position, the reclining area can be extended to 1880/1780 x 1900 mm

DEXTER CAMPERVANS

DEXTER
WITH LIFT-UP BED AND UPPER ROOF

	DEXTER 580	DEXTER 625	DEXTER 635	DEXTER 550	DEXTER 555	DEXTER 595
Notes on footnotes and comments, see Page 9					 NEW	
➲ BASIC VEHICLE	35L // 35H Fiat Ducato, 103 kW (140 HP)	35L // 35H Fiat Ducato, 103 kW (140 HP)	35L // 35H Fiat Ducato, 103 kW (140 HP)	35 L Fiat Ducato 103 kW (140 HP)	35 L Fiat Ducato 103 kW (140 HP)	35L // 35H Fiat Ducato, 103 kW (140 HP)
Fuel tank	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue
Technically permissible overall weight [1]	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 180 HP for Fiat	5,800 / 6,000 // 6,500 kg**	6,000 // 6,500 kg**	6,000 // 6,500 kg**	6,000 kg	6,000 kg	5,800 / 6,000 // 6,500 kg**
Permissible trailer load (braked) with 120 HP / 140, 180 HP* for Fiat	2,000 / 2,500/ 3,000 kg**	2,000 / 2,500/ 3,000 kg**	2,000 / 2,500/ 3,000 kg**	2,000 kg	2,000 kg	2,000 / 2,500/ 3,000 kg**
➲ DIMENSIONS						
Total length	5,990 mm	6,360 mm	6,360 mm	5,480 mm	5,990 mm	5,990 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Overall height	2,660 mm	2,660 mm	2,660 mm	2,780 mm	2,890 mm	2,890 mm
Interior width	1,940 mm	1,940 mm	1,940 mm	1,940 mm	1,940 mm	1,940 mm
Standing height	1,875 mm	1,875 mm	1,875 mm	1,898 mm	1,898 mm	2,125 / 1,800 mm
Wheelbase	4,035 mm	4,035 mm	4,035 mm	3,450 mm	4,035 mm	4,035 mm
Standard tyres	215/70 R16 C	215/70 R16 C	215/70 R16 C	215/70 R16 C	215/70 R16 C	215/70 R16 C
Bed conversion of the seating group	1,825 x 950/ 610 mm	1,825 x 950 / 610 mm	1,825 x 950 / 610 mm	1,610 x 1,165 mm	1,780 x 970/ 750 mm	1,840 x 1,040 mm
Bed in adjustable roof	–	–	–	–	–	–
Bunk bed	–	–	–	–	–	–
Rear bed	1,940 x 1,470 mm	1,870 x 800 mm / 1,870 x 800 mm/ 1,300 x 350 mm	1,850 x 1,600 mm****	–	1,840 x 1,300/ 1,235 mm	–
Lift-up bed	–	–	–	1,970 x 1,520 mm	1,970 x 1,320 mm	1,970 x 1,520 mm
Permitted number of people with 3-point belt [3]	4	4	4	4	4 (5) optional	4
Number of sleeping areas	2 (3) optional	2 (3) optional	2 (3) optional	4	4	2 (3) optional
➲ INSTALLATION						
Fresh water capacity complete [5]	100 l	100 l	100 l	100 l	100 l	100 l
Fresh water tank in the drive position [5]	20 l	20 l	20 l	20 l	20 l	20 l
Waste water capacity	100 l	100 l	100 l	100 l	100 l	100 l
Gas box / cartridge	1 x 7 kg	1 x 7 kg	1 x 7 kg	1 x 7 kg	1 x 7 kg	1 x 7 kg
Battery capacity	1 x 120 Ah (lithium)	1 x 120 Ah (lithium)	1 x 120 Ah (lithium)	1 x 120 Ah (lithium)	1 x 120 Ah (lithium)	1 x 120 Ah (lithium)
Refrigerator	138 L	138 L	138 L	113 L	113 L	150 L

* The permissible gross train weight must be complied with | ** With 35H chassis | *** In the lower position, the reclining area can be extended to 1850/1750 x 1900 mm

DEXTER FORD

DEXTER 4x4

	DEXTER 560 4x2	DEXTER 570 4x2	DEXTER 560 4x4	DEXTER 570 4x4
				
➲ BASIC VEHICLE	2.0 L Ford Transit 96 kW (130 HP)	2.0 L Ford Transit 96 kW (130 HP)	2.0 L Ford Transit 96 kW (130 HP) with sequ. all-wheel drive	2.0 L Ford Transit 96 kW (130 HP) with sequ. all-wheel drive
Fuel tank	75 L diesel + 24 L Ad Blue	75 L diesel + 24 L Ad Blue	75 L diesel + 24 L Ad Blue	75 L diesel + 24 L Ad Blue
Technically permissible overall weight [1)]	3,500 kg	3,500 kg	3,500 kg	3,500 kg
Permissible gross train weight with 120 HP / 140, 180 HP for Fiat	6,000 kg	6,000 kg	6,000 kg	6,000 kg
Permissible trailer load (braked)	2,500 kg	2,500 kg	2,500 kg	2,500 kg
➲ DIMENSIONS				
Total length	5,990 mm	5,990 mm	5,990 mm	5,990 mm
Total width	2,059 mm	2,059 mm	2,059 mm	2,059 mm
Overall height	2,780 mm	2,780 mm	2,780 mm	2,780 mm
Interior width	1,870 mm	1,870 mm	1,870 mm	1,870 mm
Standing height	1,970 mm	1,970 mm	1,970 mm	1,970 mm
Wheelbase	3,750 mm	3,750 mm	3,750 mm	3,750 mm
Standard tyres	235/65 R16	235/65 R16	235/65 R16	235/65 R16
Bed conversion of the seating group	1,735 x 910/ 800 mm	1,970 x 930 mm	1,735 x 910/ 800 mm	1,970 x 930 mm
Bed in adjustable roof	–	–	–	–
Bunk bed	–	–	–	–
Rear bed	1,900 x 1,360 mm	1,970 x 930 mm	1,900 x 1,360 mm	1,970 x 930 mm
Lift-up bed	–	–	–	–
Permitted number of people with 3-point belt [3)]	4	2	4	2
Number of sleeping areas	2	2	2	2
➲ INSTALLATION				
Fresh water capacity complete [5)]	100 l	110 l	100 l	110 l
Fresh water tank in the drive position [5)]	20 l	20 l	20 l	20 l
Waste water capacity	60 l	60 l	60 l	60 l
Gas box / cartridge	1 x 7 kg	1 x 7 kg	1 x 7 kg	1 x 7 kg
Battery capacity	1 x 100 Ah (lithium) (optional)	1 x 100 Ah (lithium) (optional)	1 x 100 Ah (lithium) (optional)	1 x 100 Ah (lithium) (optional)
Refrigerator	70 L	70 L	70 L	70 L

FOOTNOTES FOR TECHNICAL SPECIFICATIONS

1. **The technically permissible overall weight (kg)**
   The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

2. **The weight in the ready-to-drive state (series) (kg)**
   The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

3. **Permitted number of people with 3-point belts**
   The weight of the passengers is calculated at a nominal 75 kg per seat, whereby the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

4. **Maximum weights for packages and special equipment**
   The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

5. **Fresh water tank size (l)**
   Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

* * The permissible gross train weight must be complied with | ** With 35H chassis | *** In the lower position, the reclining area can be extended to 1850/1750 x 1900 mm | ****In the lower position to 1,850 x 1,930 mm

	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER FIAT	DEXTER FORD
➲ BASE VEHICLE				
Citroën Jumper	S	–	–	–
Fiat Ducato	–	S	S	–
Ford Transit	–	–	–	S
Ford Tourneo Custom	–	–	–	–
EURO 6 E Final incl. soot particle filter	S	S	S	S
Driver airbag	S	S	S	S
Passenger airbag	S	S	S	S
ABS / ESP	S	–	S	S
ABS / ESP incl. traction + hill descent	–	P	–	–
Manual air-conditioning system	S	S	S	S
Cruise control	S	S	S	S
Radio preparation + radio	–	–	–	S
Captain's chair seats with armrests	P	P	P	P
Isofix	S (excluding DA 540)	S	–	S
Power steering	S	S	S	S
Adjustable headlights	S	S	S	S
Immobiliser	S	S	S	S
3-point seatbelt system	S	S	S	S
Electric window controls at the front	S	S	S	S
Electrically adjustable heated exterior mirrors	S	S	S	P
Central locking with remote control	S	S	S	S
Decorative wheel trims	–	S	S	S
Fix & Go breakdown kit	S	S	S	S
Protective covers for upholstery fabric for the driver and passenger seat	S	S	S	P
Carpet in the driver's cab	–	–	S	–
Fog lights	–	P	P	–
Front bumpers painted in the vehicle colour	–	P	P	S
Front bumpers black	S	S	S	S
Rear bumpers black	S	S	S	S
Leather steering wheel	P	P	P	S
Insulating mat in the driver's cab	–	–	–	–

	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER FIAT	DEXTER FORD
➲ SUPERSTRUCTURE EXTERIOR				
Side wall and ceiling insulation	S	S	S	S
"Skyroof" (not in conjunction with adjustable roof or upper roof)	–	O	S (excluding DE 550, DE 555, DE 595)	–
Insulated upper roof	–	–	Only for DE 550, DE 555, DE 595	–
Adjustable roof	S (only for DA 595)	O	–	–
Body colour "Trend white"	–	S	S	S
Body colour "Lanzarote Grey"	P	O	O	–
Window in the superstructure, with quick-acting levers	S	S	–	–
Insulated framed windows	–	S	S	S
Sliding windows	–	–	–	–
External lighting	P	P	P	O
Electric step	P	S	S	S
400 x 400 mm roof hood, with dimming blinds and mosquito net (pc.) in the rear	1 (excluding DA 540)	1	1 (only for DE 550)	–
Midi Heki skylight roof window (pc.)	1	1	1 (excluding DE 550, DE 555, DE 595)	1
Mini Heki skylight roof window (pc.)	–	–	2 (excluding DE 550 DE 555, DE 595)	1
➲ KITCHEN				
70 - 84-litre refrigerator (depending on floor plan)	S	S	S	S (only for DE 560, DE 570 4x4)
113-litre refrigerator	–	–	S (only for DE 550)	–
138-litre refrigerator	–	O (only for DA 590)	S (only for DE 580, DE 625, DE 635)	S

	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER FIAT	DEXTER FORD
150-litre refrigerator	–	–	Only for DE 595	–
2-ring hob	S	S	S (DE 550: 3-ring)	S
Worktop with integrated sink	S	S	S	S
➲ BATHROOM				
Toilet room with integrated shower	S	S	S	S
Washroom window	S (excluding DA 540)	S	S	–
Shower tray cover with mesh	–	S	S	S
Cassette toilet	S	S	S	S
Bath with swivel shower divider	–	–	S	S
➲ LIVING AREA				
Series upholstery "Capri"	–	–	S	S
Optional upholstery "Grado"	–	O	–	–
Series upholstery "Laguna"	S	S	–	–
Optional upholstery "Nerano"	–	–	O	O
Foam mattress on lift-up bed	–	–	S (only for DE 550)	–
Lift-up bed (electric)	–	S (only for DA 630)	S (only for DE 550, DE 555, DE 595, DE 635)	–
Ambient lighting	–	S	S	S
Table extension	S	S	S	S
Bunk beds	Only for DA 591	–	–	–
Height-adjustable rear bed with variable storage space	–	Only for DA 630	DE 635	–
Storage space floor with lashing eyelets and access ramp for two bicycles	–	Only for DA 630	–	–
Conversion of seating group to an additional bed for 1 person	S (only for DA 595)	O	–	–
Folding seat bench with additional bed for 2 people	–	–	S (only for DE 550)	–
Slatted frame for fixed beds	S	S	S	S
Removable storage boxes	–	S (only for DA 620)	–	–

	DAVIS TRENDSTYLE	DAVIS LIFESTYLE	DEXTER FIAT	DEXTER FORD
➲ INSTALLATION				
4kW diesel heating	S	S	S	S
2kW diesel heating	–	–	–	–
Hot water supply with single-lever mixer tap	S	S	S	S
Pressurised water pump	S	S	S	S
Heated and insulated waste water tank	S	S	–	–
Heated waste water tank	–	–	S	S
External shower	–	–	S	S
➲ ELECTRICAL SUPPLY				
Living area battery (for Dexter lithium-ion battery)	S	S	S	P
CEE external connection for 230 V with automatic circuit breaker	S	S	S	S
Ground fault circuit interrupter	S	S	S	S
On-board control panel indicating all important functions	S	S	S	S
230 V sockets (pc.)	3	3	2	2
12 V sockets (pc.)	2	2	1	1
USB socket	3	3	2	2
Adjustable reading spotlights and USB ports	–	–	2/1	2/1

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not included in the standard scope of delivery or not possible

FEATURE PACKAGES INCLUDED IN THE COUNTRY-SPECIFIC FEATURES

DEXTER FORD
EXPLORER PACKAGE***

PACKAGE FEATURES:

» Electric step
» Rear-view camera with display in the rear-view mirror
» 135 Ah lithium battery & charge booster
» Darkening system in the driver's cab
» Matt-black 16" alloy wheels
» Door with a mosquito screen

DEXTER FIAT AND DAVIS LIFESTYLE FIAT
CONCEPT PACKAGE****

PACKAGE FEATURES:

» Darkening system for the driver's cab
» Door with a mosquito screen
» Painted front bumper
» Fog lights with cornering light
» Black skid plate
» External lighting
» "Captain's chair" seats
» Swivel console
» Box under seats
» Storage tray under driver's seat
» Traction +
» Steering wheel controls
» Radio preparation
» DAB antenna
» 16" aluminium rims
» Soft-touch steering wheel and gearshift knob
» Rear-view camera

DAVIS TRENDSTYLE CITROEN
PLUS PACKAGE**

PACKAGE FEATURES:

Trendstyle Plus package / manual gearbox

» 140 HP Citroen engine
» Darkening system for the driver's cab
» Rain sensor
» Door with a mosquito screen
» Pioneer DAB radio
» External lighting
» "Captain's chair" seats
» Swivel console
» Box under seats
» Storage tray under driver's seat
» Traction +
» Painted front bumper
» Black skid plate
» Fog lights with cornering light
» Steering wheel controls
» Radio preparation
» DAB antenna
» 16" aluminium rims
» Rear-view camera
» Electric step
» Canopy
» "Lanzarote Grey" paintwork
» Winter Pack
» Soft-touch steering wheel and gearshift knob
» Adaptive cruise control

OPTIONAL FEATURE PACKAGES

DEXTER FORD
DRIVING ASSISTANCE PACKAGE***

PACKAGE FEATURES:

» Camera and radar-based Pre-Collision Assist 2.2 system
» Lane departure assistant and warning system
» Expanded traffic sign recognition system
» LED downlight on the rear door
» Parking assistance (front)
» Front fog lights
» Adaptive cruise control
» Electrically adjustable and folding exterior mirrors, heated
» Navigation system
» Reverse brake assist system
» 360° camera
» BLIS blind spot assistant with rear cross traffic alert system

DEXTER FIAT AND DAVIS LIFESTYLE FIAT
SMART PACKAGE****

PACKAGE FEATURES:

» Automatic air conditioning
» Inductive charger
» Fully digital display
» Keyless Entry&Go
» Electric parking brake

DEXTER FIAT
BOOST PACKAGE*****

PACKAGE FEATURES:

» 2nd 135 Ah lithium battery
» 200 W solar panel

* Available for Davis Lifestyle
** Available for Davis Trendstyle
*** Available for Dexter Ford
**** Available for Davis Lifestyle and Dexter Fiat
***** Available for Dexter Fiat

DAVIS LIFESTYLE FIAT
WARM-UP PACKAGE*

PACKAGE FEATURES:

» Truma D6E heating
» Heated windscreen
» Winter Pack:
Insulated and electrically heated greywater tank,
insulated exterior pipe,
heated floor in the dinette area 220 V,
electrically folding exterior mirrors with de-icing feature

DAVIS LIFESTYLE FIAT
ENERGY PACKAGE*

PACKAGE FEATURES:

» 150 Ah lithium battery
» 200 W solar panel

S = Standard feature
O = Optional feature at extra charge
– = Not possible
P = Optional package feature

		DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 590 LIFESTYLE	DAVIS 620 LIFESTYLE	DAVIS 630 LIFESTYLE	DEXTER 580	DEXTER 625	DEXTER 635	DEXTER 550	DEXTER 555	DEXTER 595	DEXTER 560 4 x 2	DEXTER 570 4 x 2	DEXTER 560 4 x 4	DEXTER 570 4 x 4
➲ PACKAGES																		
KM4545-27	Energy package	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM4546-27	Warm-up package	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM4547-27	Smart package	-	-	-	-	O	O	O	O	O	O	O	O	O	-	-	-	-
KM4548-27	Boost package	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-
KM4529-27	Dexter Ford Driving Assistance package	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
➲ CHASSIS OPTION - ENGINE																		
KM2180-26	Ford 165 HP (surcharge compared to 130 HP)	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
KM2185-26	180 HP engine (surcharge compared to 140 HP, only in combination with automatic transmission)	-	-	-	-	O	O	O	O	O	O	O	O	O	-	-	-	-
➲ CHASSIS - OTHER OPTIONS																		
KM2137-26	Ford Transit automatic transmission (only in combination with 165 HP engine)	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	-	-
KM2133-26	Automatic transmission in combination with a light chassis	O	O	O	O	O	O	O	O	O	O	O	O	O	-	-	-	-
KM2136-26	Automatic transmission in combination with a Maxi chassis	-	-	-	-	O	O	O	O	O	O	O	O	O	-	-	-	-
KM2316-26	Chassis - 35 H	-	-	-	-	O	O	O	O	O	O	O	O	O	-	-	-	-
KM2372-26	Fuel tank, 60 litre	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
➲ EXTERIOR DESIGN / PAINTWORK																		
KM2410-26	"White" paintwork	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
KM2421-26	"Black" paintwork	-	-	-	-	O	O	O	O	O	O	-	O	O	O	O	O	O
KM2409-26	"Iron Grey" paintwork	-	-	-	-	O	O	O	O	O	O	-	O	O	O	O	O	O
KM2414-26	"Lanzarote Grey" paintwork	P	P	P	P	O	O	O	O	O	O	-	O	O	-	-	-	-
KM2415-26	"Artense Grey" paintwork	-	-	-	-	O	O	O	O	O	O	-	O	O	-	-	-	-
KM2426-26	"Expedition Grey" paintwork	-	-	-	-	O	O	O	O	O	O	-	O	O	-	-	-	-
KM2422-26	"Chrome Blue" paintwork – Dexter Ford	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
KM2417-26	"Grey Matter" paintwork – Dexter Ford	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
KM2407-26	"Silver" paintwork – Dexter Ford	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O

S = Standard feature
O = Optional feature at extra charge
– = Not possible
P = Optional package feature

		DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 590 LIFESTYLE	DAVIS 620 LIFESTYLE	DAVIS 630 LIFESTYLE	DEXTER 580	DEXTER 625	DEXTER 635	DEXTER 550	DEXTER 555	DEXTER 595	DEXTER 560 4 x 2	DEXTER 570 4 x 2	DEXTER 560 4 x 4	DEXTER 570 4 x 4
➲ EXTERIOR DESIGN / RIMS																		
KM2225-26	16" Ford Transit aluminium rims	-	-	-	-	-	-	-	-	-	-	-	-	-	P	P	P	P
➲ SUPERSTRUCTURE OPTION / EXTERIOR																		
KM5123-26	Preparation for Fiat trailer tow hitch	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-
KM5576-26	Mosquito screen for the body door	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P
KM5578-26	Mosquito screen for toilet window	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
➲ SUPERSTRUCTURE OPTION / INTERIOR																		
KM5320-26	Adjustable roof with black frame + Skyroof	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM5324-26	Insulation for pop-up roof	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM5521-26	Skyroof Davis panoramic roof window	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM6220-26	Additional bed for 1 person (conversion of seating group)	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM7258-26	138 l refrigerator	-	-	-	-	O	-	-	-	-	-	-	-	-	-	-	-	-
➲ SUPERSTRUCTURE OPTION / BIKE CARRIER																		
KM5147-26	Bike carrier for 2 bikes	-	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O
➲ SUPERSTRUCTURE OPTION / CANOPIES																		
KM5230-26	130 W solar panel	-	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O
KM5231-26	200 W solar panel	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
KM5247-26	3 m mechanical canopy	-	-	-	-	-	-	-	-	-	-	O	O	-	-	-	-	-
KM5244-26	3.25 m mechanical canopy	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KM5240-26	3.75 m mechanical canopy	-	P	P	-	O	-	-	O	O	O	-	-	O	-	-	-	-
KM5243-26	4 m mechanical canopy	-	-	-	P	-	O	O	-	-	-	-	-	-	-	-	-	-
KM5245-26	Ford 3.5 m mechanical canopy	-	-	-	-	-	-	-	-	-	-	-	-	-	O	O	O	O
➲ SUPERSTRUCTURE OPTION / HEATING																		
KM7227-26	Combi D 6 E heating	-	-	-	-	O	O	O	O	O	O	O	O	O	O	O	O	O

S = Standard feature
O = Optional feature at extra charge
– = Not possible
P = Optional package feature

		DAVIS 540 TRENDSTYLE	DAVIS 590 TRENDSTYLE	DAVIS 591 TRENDSTYLE	DAVIS 620 TRENDSTYLE	DAVIS 590 LIFESTYLE	DAVIS 620 LIFESTYLE	DAVIS 630 LIFESTYLE	DEXTER 580	DEXTER 625	DEXTER 635	DEXTER 550	DEXTER 555	DEXTER 595	DEXTER 560 4 x 2	DEXTER 570 4 x 2	DEXTER 560 4 x 4	DEXTER 570 4 x 4
➲ SUPERSTRUCTURE OPTION / FABRICS																		
KM6001-26	"Capri" upholstery fabric	-	-	-	-	-	-	-	S	S	S	S	S	S	S	S	S	S
KM6002-26	"Nerano" upholstery fabric	-	-	-	-	-	-	-	O	O	O	O	O	O	O	O	O	O
KM6006-26	"Laguna" upholstery fabric	S	S	S	S	S	S	S	-	-	-	-	-	-	-	-	-	-
KM6007-26	"Grado"upholstery fabric	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
➲ SUPERSTRUCTURE OPTION / MULTIMEDIA																		
KM3219-26	9" Radio incl. Apple CarPlay and Android	-	-	-	-	-	-	-	O	O	O	O	O	O	-	-	-	-
KM3220-26	Radio incl. DAB, Apple CarPlay and Android Auto	-	-	-	-	O	O	O	-	-	-	-	-	-	-	-	-	-
➲ MISCELLANEOUS																		
KM9524-26	3 year extended warranty < 4.5t	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
KM9009 -26	COC documents and/or TÜV approval, vehicle registration document, gas certificate and pre-carriage	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O
KM A801-26	Transfer costs	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O





IMPORTANT **INFORMATION** REGARDING **VEHICLE WEIGHTS**

Since each vehicle in drive mode is only permitted to exhibit an overall weight defined by the manufacturer, weight-related specifications are particularly important when purchasing a motorhome or van.
This is especially true when choosing packages and special equipment that is installed at the factory. The overall weight permitted in road traffic must never be exceeded while driving.

The information below is therefore intended to make configuring your vehicle easier and to explain the legal requirements relating to vehicle weights. Please read all of this information carefully before starting your vehicle configuration process and contact your dealer if you have any questions.

1. The technically permissible overall weight

The technically permissible overall weight in a laden state can be found in the technical specifications for our motorhomes and vans, as well as in the configurator. This figure represents the overall weight defined by the manufacturer that the vehicle must not exceed while driving. Otherwise, in many European countries, including Germany, fines may be issued. Since you as the driver of the vehicle are responsible for complying with the technically permissible overall weight, we recommend that you check your vehicle before every journey and weigh your vehicle before setting off.

2. The weight in the ready-to-drive state

The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present).

Information regarding the weight in the ready-to-drive state can also be found in the technical specifications for our motorhomes and vans, as well as in our configurator.

It is important to note that the weight in the ready-to-drive state is a value calculated in the type approval procedure, which is subject to legally permissible fluctuations of up to +/- 5%.

Since these fluctuations impact the remaining payload of the individual vehicle, the occurrence of legally permissible fluctuations must be factored in during the configuration and selection of packages and special equipment.

Example: In the technical specifications, the weight in the ready-to-drive state for the floor plan you have chosen is stated as 2,910 kg. This calculated value is subject to legally permissible fluctuations of +/- 5%, i.e. +/- 146 kg. The weight in the ready-to-drive state of the individual vehicle can therefore range from 2,764 kg to 3,056 kg.

We also list the legally permissible fluctuations in the technical specifications for our motorhomes and vans, as well as in our configurator as an additional text in brackets.

3. The weight of the passengers
The weight of the passengers is calculated from the number of belt-restrained seats defined by the manufacturer and is set at a nominal 75 kg per seat, whereby the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

The number of belt-restrained seats can be found in the technical specifications for our motorhomes and vans, as well as in our configurator. Please note that these numbers represent the highest possible number of belt-restrained seats for the series-version floor plan in question. The number of belt-restrained seats can however be reduced by the selection of packages and special equipment, or it can make an increase in the vehicle's load capacity necessary.

4. The actual weight of the vehicle | Packages and special equipment
The actual weight of the vehicle refers to the weight of the vehicle in the ready-to-drive state plus the packages or special equipment installed at the factory and is listed under point 13.2 of the certificate of conformity (CoC). This figure does not include the special equipment or other accessories that are added by a retailer or by you personally after delivery of the vehicle from the factory.

It should be noted that the actual weight of the vehicle is also a calculated value, which may deviate from a value determined for your individual vehicle due to legally permissible fluctuations in the weight in the ready-to-drive state as a calculated value of the actual vehicle weight.

Information regarding the weights of the packages and special equipment available ex works for our motorhomes and vans can be found in our configurator and in the technical specifications.

5. Payload and minimum payload The payload is the maximum load that a vehicle can carry and is calculated by subtracting the weight in the ready-to-drive state, the weight of the passengers and the weight of the packages and special equipment fitted ex works from the technically permissible overall weight.

Example:

Technically permissible overall weight	3,500 kg
Weight in the ready-to-drive state	– 2,910 kg
Weight of passengers (3*75 kg)	– 225 kg
Weight of packages / special equipment	– 100 kg
Payload	= 265 kg

The installation of packages and special equipment will accordingly always lead to a reduction in the payload. The maximum weights available for packages and special equipment for each floor plan are shown separately in the technical specifications for our motorhomes and vans and in our configurator.

For motorhomes and vans as Class M1 vehicles, compliance with a minimum payload, i.e. the minimum load that a vehicle can transport, is required by law. This minimum payload must not be undercut either when configuring a vehicle or during production and is calculated for our motorhomes and vans according to the following formula:

Minimum payload in kg ≥ 10*(n + L)
Where: "n" is the maximum number of belt-restrained seats, plus the vehicle driver, and "L" is the total length of the vehicle in metres.

Example:
In the case of a motorhome with 4 belt-restrained seats and a length of 7 m, the minimum payload is 110 kg (10 x [4+7]).

It is important to note that legally permissible fluctuations in the weight in the ready-to-drive state can increase the payload of the individual vehicle, but can also reduce it.

Example (as previously):

Technically permissible overall weight	3,500 kg
Weight in the ready-to-drive state (+4%)	– 3,026.4 kg
Weight of passengers (3*75 kg)	– 225 kg
Weight of packages / special equipment	– 100 kg
Payload	= 148.6 kg

In order to prevent such fluctuations from leading to a shortfall in the legally prescribed minimum payload, we have limited the maximum weight for packages and special equipment on the manufacturer's side based on the legally permissible fluctuations. Information regarding this can be found in the technical specifications for our motorhomes and vans, as well as in our configurator. This data also takes into account special equipment features of country variations / special models that do not form part of the standard features.

If the configuration process for our motorhomes and vans leads to the upper limit for this as defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle.

In exceptional cases, despite a restriction of the weights for packages and special equipment, weighing at the end of the production line can reveal that the individual vehicle's minimum payload is undercut due to legally permissible fluctuations. In such cases, we will not ship the vehicle in question before compliance with the minimum payload is ensured through the removal of packages, special equipment or belt-restrained seats or the vehicle's load capacity is increased.



Image with individual features

Eura Mobil GmbH
Kreuznacher Straße 78
D-55576 Sprendlingen
Telefon +49 (0) 6701-203 800
Fax+49 (0) 6701-203 869
www.karmann-mobil.de

All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH. The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery. Due to legal regulations, it is possible that the model variations and equipment features described here might be different in certain countries. Latest update: In light of the current supply chain problems, the brochure also shows some models from the 2026 season that may differ in terms of their feature details from the 2027 season models. Please ask your Karmann Mobil dealer about the exact scope and available range of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features.

With regard to installations and conversions, please note / comply with the manufacturer specifications and the legal provisions as defined in the German Road Traffic Licensing Regulations (StVZo) and the German Road Traffic Regulations (StVo).

We work constantly to improve the quality of our vehicles, which is why we reserve the right to make changes to their features / optional features in this model year as well. The latest current features, optional features and package contents can therefore only be viewed in the online configurator at www.karmann-mobil.de/en/.

The publication of this brochure renders all previous catalogues invalid.
Preliminary Version 06 / 2026

www.karmann-mobil.de

KARMANN Mobil